


CASEMET

CASEMET CUBO

Enclosure catalogue





“
**Together
we are strong
as steel.**

#CasemetTeam

CASEMET

Strong as steel.

Casemet is a Finnish family-owned company whose main products are steel enclosure solutions. In addition, we offer contract manufacturing of sheet metal structures and electromechanics.

Our operations are based on flexible and customer-oriented service, high-quality and reliable manufacturing, a high level of product finishing and delivery reliability. All our activities are guided by the company's values:



Partnership:

Our co-operation with customers, staff and other stakeholders is based on mutual trust and respect.





Excellence:

Our expertise is strong and we are constantly developing our products and operations to be even higher quality and more environmentally friendly.



Growth:

Our modern production technology, motivated personnel and responsible partners create the basis for sustainable growth.

More information about us and our products can be found at www.casemet.fi/home  



Contents

Casemet Oy ----- 4

Products and services ----- 5

Enclosing solutions----- 6

Selecting an enclosure ----- 8

Degree of protection provided by enclosures -- 10

Casemet Cubo - standard enclosure series ---- 12

Technical information and NEMA-categories --- 14

**Casemet Cubo
-standard enclosure series**

Casemet Cubo E ----- 15

Casemet Cubo EO ----- 22

Casemet Cubo F ----- 25

Casemet Cubo U ----- 29

Casemet Cubo V ----- 32

Casemet Cubo OC ----- 34

**Common accessories
for enclosures** ----- 36

**"
For all needs
with standard
models,
customizing
and tailors.**



Casemet Oy

Casemet's core expertise includes steel enclosure solutions and contract manufacturing of electromechanical and sheet metal structures. Our strength is the design and manufacture of customer-specific enclosure solutions for demanding operating conditions and environments, where, for example, electrical mechanics must be protected according to the needs of industrial use.

Our factories are located in Mikkeli and Pärnu. The production of the Mikkeli plant focuses on the manufacture of metal enclosures and the contract manufacturing of sheet metal structures and electromechanics. The Pärnu factory, on the other hand, specialises in the manufacturing of mechanical parts as a subcontractor for companies in the electronics and mechanical engineering industries. The machinery of our factories enables versatile and demanding metal work.

Certificates and standards

Our operations are guided by certified management systems: quality system ISO9001:2015 and environmental management system ISO14001:2015.

"
**Strong
expertise
in Finland
and
Estonia.**

CASEMET MIKKELI

Insinöörinkatu 1
50100 Mikkeli, Finland

Customer service:

+358 40 148 9100
customer.service@casemet.fi

CASEMET PÄRNU

Turba 19
80041 Pärnu, Estonia

Customer service:

+372 44 20049
info@casemet.ee



Products and services

ENCLOSING SOLUTIONS

- Standard enclosures
- Standard cabinets
- Customized enclosures and cabinets



SHEET METAL CONTRACT MANUFACTURING

- Sheet metal parts, -products and structures
- Several material strengths and raw materials



ELECTROMECHANICAL CONTRACT MANUFACTURING

- Manufacture and assembly of electrical equipment with over 45 years of experience



We are proud of our products

We are constantly developing and testing our products to suit a wide range of applications and to withstand even the most extreme conditions. Our Cubo E, EQ, F and U -standard enclosure series have been admitted with the EN 62208:2011 certificate. Cubo V enclosure series has been admitted with the IEC 60529 certificate. Also our Cubo E and F enclosure series have been admitted with the DNG-GL and UL 508A Industrial Control Panels certificates.

Enclosing solutions

Standard enclosures

Casemet's products include a wide range of different sizes, steel made, standard enclosures. Enclosures are developed to withstand demanding operating conditions and environments. With our comprehensive range of enclosures accessories we are able to insure that even the more specific customer needs are met.

Read more about Casemet Cubo -series' standard enclosures from page 12.

.....



Standard cabinets

We have expanded our product family with new product group - standard cabinets. These classified standard cabinets are suitable for both out- and indoor use. Like standard enclosures, cabinets are designed for demanding industrial applications and environments. Ask more about our standard cabinets from our sales team!

.....



Customized enclosures and cabinets

We also implement customer-specific, customized enclosure solutions. Customization is based on our standard products, which can be modified, for example:

- Machining (millings and openings, threading, bending and cutting)
- Printing (labels, stickers and various printing opportunities)
- Painting (various color possibilities and surface structure)
- Mechanical assembly (components)
- Customer specific sizes (size based on customer's required dimensions)

We also manufacture **tailor-made enclosing solutions** as to the specifications and requirements set by the customer.

.....



Customized enclosing solutions



Machining such as cutting, drilling and threading according to customer's drawings.



Painting and surface treatment



Customer-specific components



Mechanical assembly



Customer-specific sizes

"
To the customer's needs as a custom order.



Electromechanical assembly



Testing

Selecting an enclosure

When choosing an enclosure, it is necessary to understand the operating principles of the equipment that will be installed in the enclosure, as well as the conditions in which the equipment will operate. With this information, the accurate identification of the required enclosure parameters is possible.

Parameters to be considered include:

- **material**
- **dimensions**
- **degree of protection and impact resistance**
- **demands set by the operating environment**
- **special environments**

Material

Our Casemet Cubo series includes enclosures made of sheet steel (polyester painted mild steel and stainless steel, AISI304 or AISI316L).

The right material ensures the safety of the installed equipment

and its users and eliminates the risk of unnecessary additional costs due to emergency breakdowns. The maintenance needs of an enclosure depend on the materials used.



Sheet steel

Steel enclosures have a high impact resistance and a high degree of protection. Steel enclosures can easily be made to customer-specific dimensions. The material thickness of our standard enclosures varies between 1.25 and 1.5 mm (Cubo OC materials between 2.0 and 3.0 mm).

Stainless steel, AISI304

Stainless steel, AISI304, is suitable for outdoor use (the use of a rain shelter is recommended) since it has excellent corrosion resistance and resistance to UV radiation. This material is suitable for demanding industrial environments - for example, in the food industry. The surface roughness of our enclosures made of stainless steel, AISI304, is Ra 0,20...0,35 µm.

Stainless steel, AISI316L

Stainless steel AISI316L, is used for environments requiring extreme resistance to corrosion, or those where ordinary stainless steel is not recommended: for example, in the offshore industry. The surface roughness of our enclosures made of AISI316L is Ra 0,20...0,35 µm.

Polyester painted mild steel

The standard colour of our polyester painted mild steel enclosures is grey (RAL 7035). The layer thickness is 80 – 120 µ, and it does not contain TGIC (triglycidyl isocyanurate).



Aluminum

The use of aluminum in an enclosure solution as a material provides excellent corrosion resistance. Aluminum enclosure is also light in weight. Ask for more information!



Material comparison

	Aluminum	Stainless steel AISI304	Stainless steel AISI316L	Painted mild steel
Outdoor use	****	*****	*****	****
Indoor use	*****	*****	*****	*****
Light weight	****	*	*	*
High rigidity	****	*****	*****	*****
Impact resistance	****	*****	*****	*****
UV radiation resistance	*****	*****	*****	*****
Temperature resistance range	****	****	****	****
Easiness to machine	**	*	*	**
Flammability	****	*****	*****	*****
Resistance against solvents	*****	*****	*****	*
Resistance against petrol	*****	*****	*****	*
Resistance against hydraulic oil	*****	*****	*****	**
Resistance against alcohols	*****	*****	*****	**
Resistance against alkalis	*	*****	*****	*
Resistance against acids	*	****	*****	*

Excellent *****
 Good *** and ****
 Fair **
 Poor *

Dimensions

The size of the enclosure is determined by the minimum and/or maximum dimensions of the application. When selecting the size, please consider whether further components are likely to be added at a later stage and, if so, whether


the dimensions of the enclosure will still be adequate.

Our standard enclosures are available in several different sizes and we can create solutions according to the customer's desired dimensions.



Degree of protection provided by an enclosure

The degree of the enclosure's protection consists of the IP and IK codes. The degree of protection is defined for an empty enclosure and it should be maintained during the installation and assembly work. This means that, for instance, the IP class of the cable glands should be higher or the same as that of the enclosure.



IP code (European standard EN 60529)

The IP code consists of the letters IP followed by two digits and an optional letter. The first digit of the code classifies the degrees of protection provided against the intrusion of solid objects and dust. In turn, the second digit, stands for protection against liquids.

Casemet Cubo enclosures are designed for use in demanding environments. Their IP code ranges between IP 55 and IP 66/67/68/69. We have also made customer-specific solutions with an IP 69K rating. These applications are dust tight and able to withstand highpressure and steam cleaning.

IK code (European standard EN 62262)

IK code indicates the degree of protection provided by enclosures against external mechanical impact. The IK code for our steel enclosures is IK 09 or IK 10.

Casemet Cubo Series	Cubo E	Cubo EO	Cubo F	Cubo V	Cubo U	Cubo OC
Material	PPMS, AISI 304, AISI 316L	PPMS	PPMS, AISI 304, AISI 316L	PPMS, AISI 304, AISI 316L	PPMS, AISI 304, AISI 316L	ALU, AISI304, AISI316L, GAL
SGS Fimko EN 62208	X	X	X		X	X
UL	X		X			
DNV-GL	X		X			
IEC 60529				X		

MATERIALS:

PPMS= Polyester painted mild steel

AISI304= Stainless steel

AISI316L= Stainless steel

ALU=Aluminium

GAL= Galvanized steel

CERTIFICATES:

UL = Underwriters Laboratories, File # E488993 (USA)

DNV GL= DNV GL rules for classification - Ships, offshore units and high speed and light crafts

IEC = International Electrotechnical Commission

IP code EN 60529

1st numeral: Protection against intrusion



2nd numeral: protection against liquids



1st numeral		2nd numeral	
0	No protection	0	No protection
1	Protection against objects ≥ 50 mm	1	Protection against vertically falling water drops
2	Protection against objects ≥ 12 mm	2	Protection against rain drops falling at max. 15° angle
3	Protection against objects $\geq 2,5$ mm	3	Protection against rain drops falling at max. 60° angle
4	Protection against solid objects ≥ 1 mm	4	Protection against rain drops falling from all directions
5	Protection against dust, limited intrusion acceptable	5	Protection against low pressure sprue water from all directions
6	Total protection against dust	6	Protection against jet water under pressure
		7	Protection against water intrusion under submersion at 15 cm to 1 m depth, 0,5 hour
		8	Protection against water intrusion under long term submersion under pressure
		9	Protection against powerful high-temperature water jets

IK code EN 62262

Protection against external mechanical impact



IK code	Impact energy [joule]
01-05	<1
06	1
07	2
08	5
09	10
10	20

Casemet Cubo - standard enclosure series

Cover



Standard Casemet Cubo F terminal enclosures made of steel can be equipped with a polycarbonate window.

Gasket



We use injected, jointless PUR (polyurethane) or silicone gaskets in our steel enclosures to ensure a high protection class.

The temperature resistance of various gasket materials is as follows:

Polyurethane **-40 – +80 °C**
Silicone **-50 – +150 °C**

Mounting plates



Our mounting plates are made of galvanized steel. The material thickness of the plates varies between 1.5 - 3.0 mm, depending on the size of the plate.

We also manufacture mounting plates in customer-specific materials such as stainless steel or a non-conductive material. We customise mounting plates according to the customer's configurations, e.g. with threaded holes and cutouts. Mounting plates are included as standard in our Casemet Cubo E, EO, V and U wall cabinets made of sheet steel.

Hinges



Our range of standard Casemet Cubo enclosures includes hinged wall cabinets in sheet steel. The position of the hinges can easily be changed from one side to the other in Casemet's Cubo E wall cabinets, even as the final operation at the installation site.

All of our enclosures can be equipped with hinges (except Cubo V). Hinges are a part of our range of enclosure accessories.

Locking



The Casemet Cubo E and EO wall cabinets made of sheet steel contain locks as standard. Our range of accessories includes several different lock options.

Content of the product packages

Casemet Cubo Series	Cubo E	Cubo EO	Cubo F	Cubo V	Cubo U	Cubo OC
Enclosure base	X	X	X	X	X	X
Cover/door	X	X	X	X	X	X
Cover screws			X	X	X	
Cover plugs	X ²		X ²			
Mounting plate with required nuts	X	X		X	X	X
Cover plate(s) for flange opening(s), bolts and nuts	X ^{**}		X ^{**}			
Accessories for earth connection	X	X	X	X	X	X
Lock and a key	X	X ^{***}			X ³	X

²⁾ Cover plugs for mounting holes (and hinge holes)

³⁾ Models with locks

^{**} Models with flange openings only

^{***} Quarter-turn slotted lock, no key

Technical information

Enclosure series	Cubo E			Cubo EO	Cubo F			Cubo V			Cubo U			Cubo OC			
Material	PPMS	AISI 304	AISI 316L	PPMS	PPMS	AISI 304	AISI 316L	PPMS	AISI 304	AISI 316L	PPMS	AISI 304	AISI 316L	ALU	AISI 304	AISI 316L	GAL
Knockout alternatives	Flange openings	Plain sides	Plain sides	Flange openings	Plain sides, flange openings	Plain sides	Plain sides	Plain sides	Plain sides	Plain sides	Plain sides	Plain sides	Plain sides	Plain sides	Plain sides	Plain sides	Plain sides
Minimum size (mm)	200 x 300 x 150			190 x 240 x 138	150 x 150 x 80			80 x 80 x 80			150 x 150 x 90			600 x 1000 x 400			
Maximum size (mm)	1000 x 1200 x 300			480 x 960 x 248	800 x 400 x 120			800 x 600 x 400			800 x 1000 x 300			1800 x 1800 x 600			
Degree of protection	IP 66 ¹			IP 66	IP 66			IP 66, 68, 69			IP 66, IP 67			IP 65, IP 55			
Impact resistance	IK 09 (-25 °C...+35 °C)			IK 09 (-25 °C...+35 °C)	IK 09 (-25 °C...+35 °C)			N/A			IK 09 (-25 °C...+35 °C)			IK10 / (-25 °C...+35 °C)			
Environmental type (UL)	NEMA 4, 4X, 12, 13 ²			N/A	NEMA 4, 4X, 12, 13 ³			N/A			N/A			N/A			
Continuous operating temperature	-40°C ... +80°C			-40°C ... +80°C	-40°C ... +80°C			-55°C ... +85°C			-55°C ... +85°C			-55°C ... +85°C			
Flammability	N/A			N/A	N/A			N/A			N/A			N/A			

MATERIALS:

PPMS= Polyester painted mild steel

AISI304= Stainless steel

AISI316L= Stainless steel

ALU=Aluminium

GAL= Galvanized steel

N/A= Information not available

¹ Models with two doors IP 55

² EFEP-, ESSP-, EASP-enclosures

³ FFUP-, FSUP-, FAUP-enclosures

NEMA-categories

National Electrical Manufacturers Association (NEMA)

NEMA is a commercial organization of electronic products in the United States. UL (Underwriters Laboratories) uses NEMA-defined standards and test methods to test the enclosures and issuing the UL certificate for the enclosures.

NEMA-class	Description
NEMA 1	Enclosures constructed for indoor to provide a degree of protection of the equipment inside the enclosure against ingress of solid foreign objects (falling dirt).
NEMA 12	Enclosures constructed for indoor to provide a degree of protection of the equipment inside the enclosure against ingress of solid foreign objects (falling dirt and circulating dust, lint, fibers, and flyings) and to provide a degree of protection with respect to harmful effects on the equipment due to the ingress of water (dripping and light splashing).
NEMA 13	Enclosures constructed for indoor to provide a degree of protection of the equipment inside the enclosure against ingress of solid foreign objects (falling dirt and circulating dust, lint, fibers, and flyings); to provide a degree of protection with respect to harmful effects on the equipment due to the ingress of water (dripping and light splashing); and to provide a degree of protection against the spraying, splashing, and seepage of oil and non-corrosive coolants.
NEMA 3R	Enclosures constructed for outdoor to provide a degree of protection of the equipment inside the enclosure against ingress of solid foreign objects (falling dirt); to provide a degree of protection with respect to harmful effects on the equipment due to the ingress of water (rain, sleet, snow); and that will be undamaged by the external formation of ice on the enclosure.
NEMA 4	Enclosures constructed for indoor or outdoor to provide a degree of protection of the equipment inside the enclosure against ingress of solid foreign objects (falling dirt and windblown dust); to provide a degree of protection with respect to harmful effects on the equipment due to the ingress of water (rain, sleet, snow, splashing water, and hose directed water); and that will be undamaged by the external formation of ice on the enclosure.
NEMA 4X	Enclosures constructed for indoor or outdoor to provide a degree of protection with respect to harmful effects on the equipment due to the ingress of water (rain, sleet, snow, splashing water, and hose directed water); that provides an additional level of protection against corrosion; and that will be undamaged by the external formation of ice on the enclosure.

Casemet Cubo E wall cabinets



IP 66, models with two doors IP 55

**Sizes 200 x 300 x 150 –
1000 x 1200 x 300 mm**

- Polyester painted mild steel: Plain sides and models with flange openings
- Stainless steel AISI304: Plain sides
- Stainless steel AISI316L: Plain sides

Casemet Cubo E wall cabinets in brief:

- The models of polyester painted enclosures have flange openings, while stainless steel models have plain sides
- Available in 40 sizes
- Has welded M8 bolts for a mounting plate in the bottom of the base and M6 bolts for DIN rail profiles or DIN rails in the door
- Has M6 bolts for earthing on two sides of the base
- The door can be opened 110°
- The door can easily be changed from right to left-hand hinged
- Customer-specific dimensionings also available in small volumes
- Polyester painted enclosures with wall mounting holes
- Stainless steel versions have drill marks ready

Contents of the product package:

- Enclosure base and door
- Cover plate(s) for flange opening(s), bolts and nuts (polyester painted enclosures)
- Mounting plate with required nuts
- M8 bolt, washers and a nut for earth connection of the mounting plate
- Earth marks
- DIN 3 lock and one DIN 3 key
- Cover plugs for mounting holes (polyester painted enclosures) and hinge holes
- Nut and washers for M6 bolts

Conformity

Steel enclosures



Technical information

Degree of protection IP 66, models with two doors IP 55
Impact resistance: IK 09 (-25 °C... +35 °C)

Material

Base/door: Polyester painted mild steel, stainless steel AISI304 or stainless steel AISI316L
Gasket: PUR (polyurethane)
Mounting plate: Galvanized steel
Locks: Chrome plated zinc die in painted enclosures, AISI304 or AISI316L in stainless steel enclosures
Hinges: Stainless steel

Knockout alternatives

Polyester painted enclosures: Flange openings, Plain sides
Enclosures made of acid-proof steel (AISI 304): Plain sides
Enclosures made of stainless steel (AISI 316L): Plain sides

Standard colour

Polyester painted enclosures: Grey RAL7035

Material based technical information available on page 9.



A rain shelter is recommended if the enclosure is used outdoors



The enclosure has welded M8 bolts in the bottom of the base and M6 bolts in the door. There is also an M6 bolt for earthing on one side. EFLM4 fastening slug's mounting plate is an accessory. Ordered separately.

Product information can be found at www.casemet.fi

Casemet Cubo E wall cabinets

Casemet Cubo E wall cabinets, flange openings, polyester painted mild steel

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
EFEF203015A	1 B-flange opening	200	300	150	135	1
EFEF302015A	1 C-flange opening	300	200	150	135	1
EFEF303015A	1 C-flange opening	300	300	150	135	1
EFEF303020A	1 C-flange opening	300	300	200	185	1
EFEF304020A	1 C-flange opening	300	400	200	185	1
EFEF383820A	1 C-flange opening	380	380	200	185	1
EFEF386020A	1 C-flange opening	380	600	200	185	1
EFEF386030A	1 C-flange opening	380	600	500	285	1
EFEF403015A	1 C-flange opening	400	300	150	135	1
EFEF403020A	1 C-flange opening	400	300	200	185	1
EFEF404020A	1 C-flange opening	400	400	200	185	1
EFEF404030A	1 C-flange opening	400	400	300	285	1
EFEF405020A	1 C-flange opening	400	500	200	185	1
EFEF406020A	1 C-flange opening	400	600	200	185	1
EFEF406030A	1 C-flange opening	400	600	300	285	1
EFEF505020A	2 C-flange opening	500	500	200	185	1
EFEF505030A	2 C-flange opening	500	500	300	285	1
EFEF506030A	2 C-flange opening	500	600	300	285	1
EFEF604020A	2 C-flange opening	600	400	200	185	1
EFEF604030A	2 C-flange opening	600	400	300	285	1
EFEF606020A	2 C-flange opening	600	600	200	185	1
EFEF606030A	2 C-flange opening	600	600	300	285	1
EFEF608020A	2 C-flange opening	600	800	200	185	1
EFEF608030A	2 C-flange opening	600	800	300	285	1
EFEF6010030A	2 C-flange opening	600	1000	300	285	1
EFEF6012030A	2 C-flange opening	600	1200	300	285	1
EFEF767620A	3 C-flange opening	760	760	200	185	1
EFEF767630A	3 C-flange opening	760	760	300	285	1
EFEF806030A	3 C-flange opening	800	600	300	285	1
EFEF808020A	3 C-flange opening	800	800	200	185	1
EFEF808030A	3 C-flange opening	800	800	300	285	1
EFEF8010030A	3 C-flange opening	800	1000	300	285	1
EFEF8012030A	3 C-flange opening	800	1200	300	285	1
EFEF1008030A	4 C-flange opening	1000	800	300	285	1
EFEF10010030A	4 C-flange opening	1000	1000	300	285	1
EFEF10012030A	4 C-flange opening	1000	1200	300	285	1
EFEF808030DA	3 C-flange opening, two doors	800	800	300	285	1
EFEF8010030DA	3 C-flange opening, two doors	800	1000	300	285	1
EFEF10010030DA	4 C-flange opening, two doors	1000	1000	300	285	1
EFEF10012030DA	4 C-flange opening, two doors	1000	1200	300	285	1



EFEF203015A



EFEF6010030A



EFEF808030DA

Casemet Cubo E wall cabinets, plain sides, polyester painted mild steel

Product code	Description	External dimensions (mm)			Package size (pcs)
		Width	Height	Depth	
EFEP203015A	Plain sides	200	300	150	1
EFEP302015A	Plain sides	300	200	150	1
EFEP303015A	Plain sides	300	300	150	1
EFEP303020A	Plain sides	300	300	200	1
EFEP304020A	Plain sides	300	400	200	1
EFEP383820A	Plain sides	380	380	200	1
EFEP386020A	Plain sides	380	600	200	1
EFEP386030A	Plain sides	380	600	300	1
EFEP403015A	Plain sides	400	300	150	1
EFEP403020A	Plain sides	400	300	200	1
EFEP404020A	Plain sides	400	400	200	1
EFEP404030A	Plain sides	400	400	300	1
EFEP405020A	Plain sides	400	500	200	1
EFEP406020A	Plain sides	400	600	200	1
EFEP406030A	Plain sides	400	600	300	1
EFEP505020A	Plain sides	500	500	200	1
EFEP505030A	Plain sides	500	500	300	1
EFEP506030A	Plain sides	500	600	300	1
EFEP604020A	Plain sides	600	400	200	1
EFEP604030A	Plain sides	600	400	300	1
EFEP606020A	Plain sides	600	600	200	1
EFEP606030A	Plain sides	600	600	300	1
EFEP608020A	Plain sides	600	800	200	1
EFEP608030A	Plain sides	600	800	300	1

Product code	Description	External dimensions (mm)			Package size (pcs)
		Width	Height	Depth	
EFEP6010030A	Plain sides	600	1000	300	1
EFEP6012030A	Plain sides	600	1200	300	1
EFEP767620A	Plain sides	760	760	200	1
EFEP767630A	Plain sides	760	760	300	1
EFEP806030A	Plain sides	800	600	300	1
EFEP808020A	Plain sides	800	800	200	1
EFEP808030A	Plain sides	800	800	300	1
EFEP8010030A	Plain sides	800	1000	300	1
EFEP8012030A	Plain sides	800	1200	300	1
EFEP1008030A	Plain sides	1000	800	300	1
EFEP10010030A	Plain sides	1000	1000	300	1
EFEP10012030A	Plain sides	1000	1200	300	1
EFEP808030DA	Plain sides	800	800	300	1
EFEP8010030DA	Plain sides	800	1000	300	1
EFEP10010030DA	Plain sides	1000	1000	300	1
EFEP10012030DA	Plain sides	1000	1200	300	1

Casemet Cubo E wall cabinets, plain sides, stainless steel AISI304

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
ESSP203015	Plain sides	200	300	150	135	1
ESSP302015	Plain sides	300	200	150	135	1
ESSP303015	Plain sides	300	300	150	135	1
ESSP303020	Plain sides	300	300	200	185	1
ESSP304020	Plain sides	300	400	200	185	1
ESSP383820	Plain sides	380	380	200	185	1
ESSP386020	Plain sides	380	600	200	185	1
ESSP386030	Plain sides	380	600	300	285	1
ESSP403015	Plain sides	400	300	150	135	1
ESSP403020	Plain sides	400	300	200	185	1
ESSP404020	Plain sides	400	400	200	185	1
ESSP404030	Plain sides	400	400	300	285	1
ESSP405020	Plain sides	400	500	200	185	1
ESSP406020	Plain sides	400	600	200	185	1
ESSP406030	Plain sides	400	600	300	285	1
ESSP505020	Plain sides	500	500	200	185	1
ESSP505030	Plain sides	500	500	300	285	1
ESSP506030	Plain sides	500	600	300	285	1
ESSP604020	Plain sides	600	400	200	185	1
ESSP604030	Plain sides	600	400	300	285	1
ESSP606020	Plain sides	600	600	200	185	1
ESSP606030	Plain sides	600	600	300	285	1
ESSP608020	Plain sides	600	800	200	185	1
ESSP608030	Plain sides	600	800	300	285	1
ESSP6010030	Plain sides	600	1000	300	285	1
ESSP6012030	Plain sides	600	1200	300	285	1
ESSP767620	Plain sides	760	760	200	185	1
ESSP767630	Plain sides	760	760	300	285	1
ESSP806030	Plain sides	800	600	300	285	1
ESSP808020	Plain sides	800	800	200	185	1
ESSP808030	Plain sides	800	800	300	285	1
ESSP8010030	Plain sides	800	1000	300	285	1
ESSP8012030	Plain sides	800	1200	300	285	1
ESSP1008030	Plain sides	1000	800	300	285	1
ESSP10010030	Plain sides	1000	1000	300	285	1
ESSP10012030	Plain sides	1000	1200	300	285	1



ESSP303015



ESSP406030

Casemet Cubo E wall cabinets

Casemet Cubo E wall cabinets, plain sides, stainless steel AISI316L

Product code	Description	External dimensions (mm)			Package size (pcs)
		Width	Height	Depth	
EASP203015	Plain sides	200	300	150	1
EASP302015	Plain sides	300	200	150	1
EASP303015	Plain sides	300	300	150	1
EASP303020	Plain sides	300	300	200	1
EASP304020	Plain sides	300	400	200	1
EASP383820	Plain sides	380	380	200	1
EASP386020	Plain sides	380	600	200	1
EASP386030	Plain sides	380	600	300	1
EASP403015	Plain sides	400	300	150	1
EASP403020	Plain sides	400	300	200	1
EASP404020	Plain sides	400	400	200	1
EASP404030	Plain sides	400	400	300	1
EASP405020	Plain sides	400	500	200	1
EASP406020	Plain sides	400	600	200	1
EASP406030	Plain sides	400	600	300	1
EASP505020	Plain sides	500	500	200	1
EASP505030	Plain sides	500	500	300	1
EASP506030	Plain sides	500	600	300	1
EASP604020	Plain sides	600	400	200	1
EASP604030	Plain sides	600	400	300	1
EASP606020	Plain sides	600	600	200	1
EASP606030	Plain sides	600	600	300	1
EASP608020	Plain sides	600	800	200	1
EASP608030	Plain sides	600	800	300	1
EASP6010030	Plain sides	600	1000	300	1
EASP6012030	Plain sides	600	1200	300	1
EASP767620	Plain sides	760	760	200	1
EASP767630	Plain sides	760	760	300	1
EASP806030	Plain sides	800	600	300	1
EASP808020	Plain sides	800	800	200	1
EASP808030	Plain sides	800	800	300	1
EASP8010030	Plain sides	800	1000	300	1
EASP8012030	Plain sides	800	1200	300	1
EASP1008030	Plain sides	1000	800	300	1
EASP10010030	Plain sides	1000	1000	300	1
EASP10012030	Plain sides	1000	1200	300	1



EASP303015

Rain shelters

Product code	Description	Dimensions (mm)	Package size (pcs)
Painted, RAL7035			
ERS2015A	For size EFEF203015A	165 x 205	1
ERS3015A	For size EFEF30xx15A	165 x 305	1
ERS4015A	For size EFEF403015A	165 x 405	1
ERS3020A	For size EFEF30xx20A	220 x 305	1
ERS3820A	For size EFEF38xx20A	220 x 385	1
ERS3830A	For size EFEF38xx30A	320 x 385	1
ERS4020A	For size EFEF40xx20A	220 x 405	1
ERS5020A	For size EFEF505020A	220 x 505	1
ERS6020A	For size EFEF60xx20A	220 x 605	1
ERS8020A	For size EFEF808020A	220 x 805	1
ERS4030A	For size EFEF40xx30A	320 x 405	1
ERS5030A	For size EFEF50xx30A	320 x 505	1
ERS6030A	For size EFEF60xx30A	320 x 605	1
ERS7620A	For size EFE76xx20A	220 x 765	1
ERS7630A	For size EFEF76xx30A	320 x 765	1
ERS8030A	For size EFEF80xx30A	320 x 805	1
ERS10030A	For size EFEF100xx30A	320 x 1005	1
Stainless steel, AISI304			
ERS2015B	For size ESSP203015	165 x 205	1
ERS3015B	For size ESSP30xx15	165 x 305	1
ERS3820B	For size ESSP38xx20	220 x 385	1
ERS3830B	For size ESSP38xx30	320 x 385	1
ERS4015B	For size ESSP403015	165 x 405	1
ERS3021B	For size ESSP30xx20	220 x 305	1
ERS4021B	For size ESSP40xx20	220 x 405	1
ERS5021B	For size ESSP505020	220 x 505	1
ERS6021B	For size ESSP60xx20	220 x 605	1
ERS8021B	For size ESSP808020	220 x 805	1
ERS4031B	For size ESSP40xx30	320 x 405	1
ERS5031B	For size ESSP50xx30	320 x 505	1
ERS6031B	For size ESSP60xx30	320 x 605	1
ERS7620B	For size ESSP76xx20	220 x 765	1
ERS7630B	For size ESSP76xx30	320 x 765	1
ERS8031B	For size ESSP80xx30	320 x 805	1
ERS10031B	For size ESSP100xx30	320 x 1005	1



ERS2015A



ERS2015B

Mounting plates

Product code	Description	Dimensions (mm)	Package size (pcs)
Galvanized steel			
EMP23	200 x 300 mm enclosures	150 x 270 x 2	1
EMP32	300 x 200 mm enclosures	250 x 170 x 2	1
EMP33	300 x 300 mm enclosures	250 x 270 x 2	1
EMP3838	380 x 380 mm enclosures	350 x 330 x 2	1
EMP3860	380 x 600 mm enclosures	330 x 570 x 2	1
EMP34	300 x 400 mm enclosures	370 x 250 x 2	1
EMP43	400 x 300 mm enclosures	350 x 270 x 2	1
EMP44	400 x 400 mm enclosures	350 x 370 x 2	1
EMP45	400 x 500 mm enclosures	350 x 470 x 2,5	1
EMP46	400 x 600 mm enclosures	350 x 570 x 2,5	1
EMP55	500 x 500 mm enclosures	450 x 470 x 2,5	1
EMP56	500 x 600 mm enclosures	450 x 570 x 2,5	1
EMP64	600 x 400 mm enclosures	550 x 370 x 2,5	1
EMP66	600 x 600 mm enclosures	550 x 570 x 2,5	1
EMP68	600 x 800 mm enclosures	550 x 770 x 3	1
EMP610	600 x 1000 mm enclosures	550 x 970 x 3	1
EMP612	600 x 1200 mm enclosures	550 x 1170 x 3	1
EMP7676	760 x 760 mm enclosures	710 x 730 x 3	1
EMP86	800 x 600 mm enclosures	750 x 570 x 3	1
EMP88	800 x 800 mm enclosures	750 x 770 x 3	1
EMP810	800 x 1000 mm enclosures	750 x 970 x 3	1
EMP812	800 x 1200 mm enclosures	750 x 1170 x 3	1
EMP108	1000 x 800 mm enclosures	970 x 750 x 3	1
EMP1010	1000 x 1000 mm enclosures	950 x 970 x 3	1
EMP1012	1000 x 1200 mm enclosures	950 x 1170 x 3	1



EMP23

Casemet Cubo E wall cabinets

DIN rails and DIN rail profiles

Product code	Description	Dimensions (mm)	Package size (pcs)
DIN rails for base, DIN 35, galvanized steel			
DK3520B	For base, 200 mm side, pair	35 x 122	10
DK3530B	For base, 300 mm side, pair	35 x 222	10
DK3540B	For base, 400 mm side, pair	35 x 322	10
DK3550B	For base, 500 mm side, pair	35 x 422	5
DK3560B	For base, 600 mm side, pair	35 x 522	5
DK3580B	For base, 800 mm side, pair	35 x 722	5
DK35100B	For base, 1000 mm side, pair	35 x 922	5
DIN rail profiles for base, galvanized steel			
EBP20	For base, 200 mm side, pair	20 x 143	1
EBP30	For base, 300 mm side, pair	20 x 243	1
EBP40	For base, 400 mm side, pair	20 x 343	1
EBP50	For base, 500 mm side, pair	20 x 443	1
EBP60	For base, 600 mm side, pair	20 x 543	1
EBP80	For base, 800 mm side, pair	20 x 743	1
EBP100	For base, 1000 mm side, pair	20 x 943	1
EBP120	For base, 1200 mm side, pair	20 x 1143	1
DIN rails for door, DIN 35, galvanized steel			
DK3520D	For door, 200 mm side, pair	35 x 76	10
DK3530D	For door, 300 mm side, pair	35 x 176	10
DK3540D	For door, 400 mm side, pair	35 x 276	10
DK3550D	For door, 500 mm side, pair	35 x 376	5
DK3560D	For door, 600 mm side, pair	35 x 476	5
DK3580D	For door, 800 mm side, pair	35 x 676	5
DK35100D	For door, 1000 mm side, pair	35 x 876	5
DIN rail profiles for door, galvanized steel			
EDP20	For door, 200 mm side, pair	15 x 133	1
EDP30	For door, 300 mm side, pair	15 x 233	1
EDP40	For door, 400 mm side, pair	15 x 333	1
EDP50	For door, 500 mm side, pair	15 x 433	1
EDP60	For door, 600 mm side, pair	15 x 533	1
EDP80	For door, 800 mm side, pair	15 x 733	1
EDP100	For door, 1000 mm side, pair	15 x 933	1
EDP120	For door, 1200 mm side, pair	15 x 1133	1



DIN rail profiles for base, EBP20



DIN rail profiles for door, EBP20

Cover plates and flanges

Product code	Description	Dimensions (mm)	Package size (pcs)
EVF2A	Ventilation flange, size C	93 x 222 x 75	1
ECF1A	Cover plate, size B	48 x 137 x 75	1
ECF2A	Cover plate, size C	93 x 222 x 75	1



Cover plate, size B, ECF1A.



Ventilation flange, size C, EVF2A.

Other accessories

Product code	Description	Dimensions (mm)	Package size (pcs)
ED10	Triangular lock with 11 mm key	∅ 28 x 32 x ∅ 22	1
ED10M6	Lock with wing handle, width 50 mm	50 x 45 x ∅ 22	1
EKL1	Lock incl. 2 keys	∅ 27 x 33 x ∅ 22	1
EH1	Black swing handle for three point locking	48 x 180 x 50	1
EDS2	Door stopper, set, stainless steel	-	1
EG200	Door grounding, M6>M6, 2,5 mm ²	Length 220 mm	1
EFLM4	Counter part for fastening lugs, set of 4 pcs	-	1
OLT42KEY	DIN 3 key for standard lock	50 x 53 x ∅22	1
VPTS95	Door stopper	255 x 40 x 35	1
EO7140	Adapter for padlock	50 x 45 x 35	1
EFFL3.20	Fastening lugs, 20 mm high, set of 4 pcs, galvanized steel	45 x 60 x 25	1
EFFL3.22	Fastening lugs, 20 mm high, set of 4 pcs, AISI 316L	45 x 60 x 25	1
VPTL100	Lock with solid T-handle, padlock	50 x 48 x ∅22	1
VPTL116	T-handle, not lockable	78 x 65 x ∅22	1
VPTL198	Black swing handle for three point locking, 2 keys	165 x 36 x 42	1
VPTL196	Hygiene lock, IP66, material AISI 316L	∅28 x 41 x ∅22	1
VPTL197	Hygiene lock key	50 x 53 x ∅18	1



Triangular lock with 11 mm key, ED10.



Lock with wing handle, ED10M6.



Lock incl. 2 keys, EKL1.



Black swing handle for three point locking, EH1.



Door stopper, set, EDS2.



Door grounding, EG200.



Counter part for fastening lugs, EFLM4.



DIN 3 key for standard lock, OLT42KEY.



Adapter for padlock, EO71.04.



EFFL3.22 Fastening lugs, 20 mm high, set of 4 pcs, AISi 316L.



VPTL100 Lock with solid T-handle, padlock, VPTL100.



T-handle, not lockable VPTL116.



Hygiene lock VPTL196 and a key VPTL197.



Black swing handle for three point locking and 2 keys VPT198.

Casemet Cubo EO wall cabinets



IP 66

Sizes 190 x 240 x 138 – 480 x 960 x 248 mm

- Polyester painted mild steel: flange knockouts

Casemet Cubo EO wall cabinets in brief:

- Has flange knockouts on each side of the base
- Available in 22 sizes
- Door fitted with a quarter-turn slotted fastener
- The door can be opened 110°
- Has fixed M8 inserts for a mounting plate in the bottom of the base
- Has M6 bolt for earthing on one side of the base and two M6 bolts in the door, for earthing
- Excellent choice for creating larger assemblies

Contents of the product package:

- Enclosure base
- Door
- M8 mounting screws and earthing accessories
- Slotted lock

Conformity

Steel enclosures:   

Technical information

Degree of protection: IP 66
Impact resistance: IK 09 [-25 °C... +35 °C]

Material

Base/door: Polyester painted mild steel
Gasket: PUR (polyurethane)
Mounting plate: Galvanized steel

Knockout alternatives

Polyester painted mild steel cabinets: Flange knockouts

Standard colour

Polyester painted mild steel cabinets: Grey RAL7035

Material based technical information available on page 9.



The enclosures include flange knockouts on all four sides.



Product information can be found at www.casemet.fi

Casemet Cubo EO wall cabinets

Casemet Cubo EO wall cabinets, flange knockouts, polyester painted mild steel

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
EOK192414A	4 B-flange knockout	190	240	138	123	1
EOJ192814A	2 B-flange knockout + 2 C-flange knockout	190	280	138	123	1
EOJ192819A	2 B-flange knockout + 2 C-flange knockout	190	280	193	178	1
EOM193814A	2 B-flange knockout + 2 C-flange knockout	190	380	138	123	1
EOM193819A	2 B-flange knockout + 2 C-flange knockout	190	380	193	178	1
EOL242814A	2 B-flange knockout + 2 C-flange knockout	240	280	138	123	1
EOO282814A	4 C-flange knockout	280	280	138	123	1
EOO282819A	4 C-flange knockout	280	280	193	178	1
EOP283814A	4 C-flange knockout	280	380	138	123	1
EOP283819A	4 C-flange knockout	280	380	193	178	1
EOT285614A	6 C-flange knockout	280	560	138	123	1
EOT285619A	6 C-flange knockout	280	560	193	178	1
EOR383814A	4 C-flange knockout	380	380	138	123	1
EOR383819A	4 C-flange knockout	380	380	193	178	1
EOU385614A	6 C-flange knockout	380	560	138	123	1
EOU385619A	6 C-flange knockout	380	560	193	178	1
EOU385625A	6 C-flange knockout	380	560	248	233	1
EOV388419A	8 C-flange knockout	380	840	193	178	1
EOV388425A	8 C-flange knockout	380	840	248	233	1
EOY484825A	4 C-flange knockout	480	480	248	233	1
EOZ487625A	6 C-flange knockout	480	760	248	233	1
EOQ489625A	6 C-flange knockout	480	960	248	233	1



EOJ192814A



EOR383814A

Mounting plates, galvanized steel

Product code	Description	Dimensions (mm)	Package size (pcs)
EOK1	190 x 240 mm enclosures	140 x 190 x 1.5	1
EOJ1	190 x 280 mm enclosures	140 x 230 x 1.5	1
EOM1	190 x 380 mm enclosures	140 x 330 x 1.5	1
EOL1	240 x 280 mm enclosures	190 x 230 x 1.5	1
EOO1	280 x 280 mm enclosures	230 x 230 x 1.5	1
EOP1	280 x 380 mm enclosures	230 x 330 x 1.5	1
EOT1	280 x 560 mm enclosures	230 x 510 x 1.5	1
EOR1	380 x 380 mm enclosures	330 x 330 x 1.5	1
EOU1	380 x 560 mm enclosures	330 x 510 x 1.5	1
EOU3	380 x 560 mm enclosures	330 x 510 x 2.5	1
EOV1	380 x 840 mm enclosures	330 x 790 x 1.5	1
EOV3	380 x 840 mm enclosures	330 x 790 x 2.5	1
EOY1	480 x 480 mm enclosures	430 x 430 x 1.5	1
EOZ1	480 x 760 mm enclosures	430 x 710 x 1.5	1
EOZ3	480 x 760 mm enclosures	430 x 710 x 2.5	1
EOQ1	480 x 960 mm enclosures	430 x 910 x 1.5	1
EOQ3	480 x 960 mm enclosures	430 x 910 x 2.5	1



EOJ1

Casemet Cubo EO wall cabinets

Other fittings

Product code	Description	Dimensions (mm)	Package size (pcs)
Lock alternatives			
E071.04	Adapter for padlock	-	1
E071.05	Adapter for padlock incl. T handle	-	1
E071.06	DIN 3 lock	DIN 3	1
E071.07	T handle lock	△ 10/M5	1
OLT42KEY	Key for DIN 3 lock	50 x 53 x Ø22	1
Accessories for flanges			
E072.07	Fastening bolt set, size B	M6	1
E072.08	Fastening bolt set, size C	M8	1
E072.10	Counter rib M6 for B size flange	M6	1
E072.11	Counter rib M8 for C size flange	M8	1
Fastening lugs			
EOFL2.20	Fastening lugs, set of 4 pcs, 20 mm high	20	1
EOFL2.50	Fastening lugs, set of 4 pcs, 50 mm high	50	1
Other fittings			
EVF2A	Ventilation flange, size C	93 x 222 x 75	1
EDS2	Door stopper, set, stainless steel	-	1



Adapter for padlock, E071.04.



Adapter for padlock incl. T handle, E071.05.



DIN 3 lock, E071.06.



T handle lock, E071.07.



Key for DIN 3 lock, OLT42KEY.



Fastening bolt set, size B, E072.07.



Counter rib M6 for B size flange, E072.10.



Fastening lug set, 20 mm high, EOFL2.20.



Ventilation flange, size C, EVF2A.



Door stopper, set, EDS2.

Casemet Cubo F terminal enclosures



IP 66

Sizes 150 x 150 x 80 – 800 x 400 x 120 mm

- Polyester painted mild steel: plain sides and flange openings
- Stainless steel AISI 304: plain sides
- Stainless steel AISI 316L: plain sides

Casemet Cubo F terminal enclosure in brief:

- Has plain sides
- 120 mm deep polyester painted enclosures are also available with flange openings or polycarbonate window as standard
- Available in 30 sizes and in two base depth alternatives
- Small push button enclosures also available in four sizes
- Include a perforated support for DIN rail or mounting plate enabling the maximum use of all sides of the enclosure for cable entries
- Has M6 bolt for earthing on one side of the base
- Customer-specific dimensionings also available in small volumes
- All versions can be supplied with hinges
- Polyester painted enclosures with wall mounting holes
- Stainless and acid-proof steel versions have drill marks ready

Contents of the product package:

- Enclosure base
- Cover
- Cover screws with gaskets and cage nuts
- Cover plugs for mounting holes
- A M6 nut and a washer for earthing
- Earth marks
- Models with flange openings include also cover plates, bolts and washers

Conformity

Steel enclosures:



Technical information

Degree of protection:	IP 66, models with two cover screws IP 55
Impact resistance:	IK 09 (-25 °C... +35 °C), models with window IK 07 (-5 °C...+80 °C)

Material

Base/cover:	Polyester painted mild steel, stainless steel AISI304 or acid-proof steel AISI316L
Gasket:	PUR (polyurethane)
Cover screw gasket:	Dryflex (SEBS)

Knockout alternatives

Polyester painted enclosures:	Plain sides, flange openings
Enclosures made of stainless steel: (AISI 304):	Plain sides
Enclosures made of acid-proof steel: (AISI 316L):	Plain sides

Standard colour

Polyester painted enclosures:	Grey RAL 7035
-------------------------------	---------------

Material based technical information available on page 9.



These enclosures include a perforated support for a DIN rail or mounting plate as standard. The optimised mounting supports enable the maximum use of all sides of the enclosure for cable entries.

120 mm deep polyester painted enclosures are also available with flange openings. The product package includes cover plates, bolts and washers.

Product information can be found at www.casemet.fi

Casemet Cubo F terminal enclosures

Casemet Cubo F terminal enclosures, plain sides, polyester painted mild steel

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
FFUP151508A	Plain sides	150	150	80	65	1
FFUP202008A	Plain sides	200	200	80	65	1
FFUP301508A	Plain sides	300	150	80	65	1
FFUP302008A	Plain sides	300	200	80	65	1
FFUP303008A	Plain sides	300	300	80	65	1
FFUP402008A	Plain sides	400	200	80	65	1
FFUP403008A	Plain sides	400	300	80	65	1
FFUP404008A	Plain sides	400	400	80	65	1
FFUP502008A	Plain sides	500	200	80	65	1
FFUP503008A	Plain sides	500	300	80	65	1
FFUP602008A	Plain sides	600	200	80	65	1
FFUP603008A	Plain sides	600	300	80	65	1
FFUP604008A	Plain sides	600	400	80	65	1
FFUP802008A	Plain sides	800	200	80	65	1
FFUP804008A	Plain sides	800	400	80	65	1
FFUP151512A	Plain sides	150	150	120	105	1
FFUP202012A	Plain sides	200	200	120	105	1
FFUP301512A	Plain sides	300	150	120	105	1
FFUP302012A	Plain sides	300	200	120	105	1
FFUP303012A	Plain sides	300	300	120	105	1
FFUP402012A	Plain sides	400	200	120	105	1
FFUP403012A	Plain sides	400	300	120	105	1
FFUP404012A	Plain sides	400	400	120	105	1
FFUP502012A	Plain sides	500	200	120	105	1
FFUP503012A	Plain sides	500	300	120	105	1
FFUP602012A	Plain sides	600	200	120	105	1
FFUP603012A	Plain sides	600	300	120	105	1
FFUP604012A	Plain sides	600	400	120	105	1
FFUP802012A	Plain sides	800	200	120	105	1
FFUP804012A	Plain sides	800	400	120	105	1



FFUP151508



FFUP403012A

Casemet Cubo F terminal enclosures, plain sides, stainless steel AISI304

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
FSUP151508	Plain sides	150	150	80	65	1
FSUP202008	Plain sides	200	200	80	65	1
FSUP301508	Plain sides	300	150	80	65	1
FSUP302008	Plain sides	300	200	80	65	1
FSUP303008	Plain sides	300	300	80	65	1
FSUP402008	Plain sides	400	200	80	65	1
FSUP403008	Plain sides	400	300	80	65	1
FSUP404008	Plain sides	400	400	80	65	1
FSUP502008	Plain sides	500	200	80	65	1
FSUP503008	Plain sides	500	300	80	65	1
FSUP602008	Plain sides	600	200	80	65	1
FSUP603008	Plain sides	600	300	80	65	1
FSUP604008	Plain sides	600	400	80	65	1
FSUP802008	Plain sides	800	200	80	65	1
FSUP804008	Plain sides	800	400	80	65	1
FSUP151512	Plain sides	150	150	120	105	1
FSUP202012	Plain sides	200	200	120	105	1
FSUP301512	Plain sides	300	150	120	105	1
FSUP302012	Plain sides	300	200	120	105	1
FSUP303012	Plain sides	300	300	120	105	1
FSUP402012	Plain sides	400	200	120	105	1
FSUP403012	Plain sides	400	300	120	105	1
FSUP404012	Plain sides	400	400	120	105	1
FSUP502012	Plain sides	500	200	120	105	1
FSUP503012	Plain sides	500	300	120	105	1
FSUP602012	Plain sides	600	200	120	105	1
FSUP603012	Plain sides	600	300	120	105	1
FSUP604012	Plain sides	600	400	120	105	1
FSUP802012	Plain sides	800	200	120	105	1
FSUP804012	Plain sides	800	400	120	105	1



FSUP151508



FSUP403012A

Casemet Cubo F terminal enclosures, plain sides, stainless steel AISI316L

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
FAUP151508	Plain sides	150	150	80	65	1
FAUP202008	Plain sides	200	200	80	65	1
FAUP301508	Plain sides	300	150	80	65	1
FAUP302008	Plain sides	300	200	80	65	1
FAUP303008	Plain sides	300	300	80	65	1
FAUP402008	Plain sides	400	200	80	65	1
FAUP403008	Plain sides	400	300	80	65	1
FAUP404008	Plain sides	400	400	80	65	1
FAUP502008	Plain sides	500	200	80	65	1
FAUP503008	Plain sides	500	300	80	65	1
FAUP602008	Plain sides	600	200	80	65	1
FAUP603008	Plain sides	600	300	80	65	1
FAUP604008	Plain sides	600	400	80	65	1
FAUP802008	Plain sides	800	200	80	65	1
FAUP804008	Plain sides	800	400	80	65	1
FAUP151512	Plain sides	150	150	120	105	1
FAUP202012	Plain sides	200	200	120	105	1
FAUP301512	Plain sides	300	150	120	105	1
FAUP302012	Plain sides	300	200	120	105	1
FAUP303012	Plain sides	300	300	120	105	1
FAUP402012	Plain sides	400	200	120	105	1
FAUP403012	Plain sides	400	300	120	105	1
FAUP404012	Plain sides	400	400	120	105	1
FAUP502012	Plain sides	500	200	120	105	1
FAUP503012	Plain sides	500	300	120	105	1
FAUP602012	Plain sides	600	200	120	105	1
FAUP603012	Plain sides	600	300	120	105	1
FAUP604012	Plain sides	600	400	120	105	1
FAUP802012	Plain sides	800	200	120	105	1
FAUP804012	Plain sides	800	400	120	105	1



FAUP151508



FAUP403012

Casemet Cubo F terminal enclosures, flange openings, polyester painted mild steel

Flange opening size: 192 x 62 mm

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
FFUF301512A	Flanges/side 1 + 1 + 0 + 0	300	150	120	105	1
FFUF302012A	Flanges/side 1 + 1 + 0 + 0	300	200	120	105	1
FFUF303012A	Flanges/side 1 + 1 + 1 + 1	300	300	120	105	1
FFUF402012A	Flanges/side 1 + 1 + 0 + 0	400	200	120	105	1
FFUF403012A	Flanges/side 1 + 1 + 1 + 1	400	300	120	105	1
FFUF404012A	Flanges/side 1 + 1 + 1 + 1	400	400	120	105	1
FFUF502012A	Flanges/side 2 + 2 + 0 + 0	500	200	120	105	1
FFUF503012A	Flanges/side 2 + 2 + 1 + 1	500	300	120	105	1
FFUF602012A	Flanges/side 2 + 2 + 0 + 0	600	200	120	105	1
FFUF603012A	Flanges/side 2 + 2 + 1 + 1	600	300	120	105	1
FFUF604012A	Flanges/side 2 + 2 + 1 + 1	600	400	120	105	1
FFUF802012A	Flanges/side 3 + 3 + 0 + 0	800	200	120	105	1
FFUF804012A	Flanges/side 3 + 3 + 1 + 1	800	400	120	105	1



FFUF303012A

Casemet Cubo F terminal enclosures, polycarbonate window, polyester painted mild steel

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
FFUW202012A	Window size: 120 x 120 mm	200	200	120	105	1
FFUW302012A	Window size: 220 x 120 mm	300	200	120	105	1
FFUW402012A	Window size: 320 x 120 mm	400	200	120	105	1
FFUW502012A	Window size: 420 x 120 mm	500	200	120	105	1
FFUW602012A	Window size: 520 x 120 mm	600	200	120	105	1
FFUW802012A	Window size: 720 x 120 mm	800	200	120	105	1



FFUW302012A

Casemet Cubo F terminal enclosures

Casemet Cubo F enclosures with push button openings

Components installed in pre-fabricated openings can decrease the final degree of protection.

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
FSPB101009	1 push button opening	100	100	90	75	1
FSPB161009	2 push button openings	160	100	90	75	1
FSPB221009	3 push button openings	220	100	90	75	1
FSPB281009	4 push button openings	280	100	90	75	1



FSPB221009

Mounting plates and DIN rails

Product code	Description	Dimensions (mm)	Package size (pcs)
Mounting plates, galvanized steel			
FMP1515	For 150 x 150 mm enclosures	135 x 100 x 2	10
FMP2020	For 200 x 200 mm enclosures	185 x 150 x 2	10
FMP3015	For 300 x 150 mm enclosures	285 x 100 x 2	10
FMP3020	For 300 x 200 mm enclosures	285 x 150 x 2	10
FMP3030	For 300 x 300 mm enclosures	285 x 250 x 2	10
FMP4020	For 400 x 200 mm enclosures	385 x 150 x 2	10
FMP4030	For 400 x 300 mm enclosures	385 x 250 x 2	5
FMP4040	For 400 x 400 mm enclosures	385 x 350 x 2	5
FMP5020	For 500 x 200 mm enclosures	485 x 150 x 2	5
FMP5030	For 500 x 300 mm enclosures	485 x 250 x 2	5
FMP6020	For 600 x 200 mm enclosures	585 x 150 x 2	5
FMP6030	For 600 x 300 mm enclosures	585 x 250 x 2	5
FMP6040	For 600 x 400 mm enclosures	585 x 350 x 2	5
FMP8020	For 800 x 200 mm enclosures	785 x 150 x 2	5
FMP8040	For 800 x 400 mm enclosures	785 x 350 x 2	5
DIN rails, galvanized steel			
DK3515	For 150 mm side	35 x 140	10
DK3520	For 200 mm side	35 x 190	10
DK3530	For 300 mm side	35 x 290	10
DK3540	For 400 mm side	35 x 390	10
DK3550	For 500 mm side	35 x 490	5
DK3560	For 600 mm side	35 x 590	5
DK3580	For 800 mm side	35 x 790	5



FMP1515

Other accessories

Product code	Description	Dimensions (mm)	Package size (pcs)
FFUF1A	Cover plate	84 x 214 x 2	1
FHI2	Hinge pair, stainless steel	30 x 15 x 11	1
FFL1	Fastening lugs, 10 mm high, set of 4 pcs	depth 10 mm	1
FFL2	Fastening lugs, 10 mm high, set of 4 pcs	depth 10 mm	1
EFFL2.50	Fastening lugs, 50 mm high, set of 4 pcs	depth 50 mm	1
EFFL3.20	Fastening lugs, 20 mm high, set of 4 pcs, galvanized steel	depth 20 mm	1
EFFL3.22	Fastening lugs, 20 mm high, set of 4 pcs, AISI 316L	depth 20 mm	1



Cover plate, FFUF1A.



Hinge pair, FHI2.



Fastening lug set, 20 mm high, EFFL3.20.

Casemet Cubo U wall cabinets



" Choice for demanding conditions.

- High-quality enclosures are dust-tight and durable to immersion
- The Cubo series enclosures are available in stainless steel and polyester painted steel
- Enclosures have high quality seamless silicone gasket
- Cover screw or latch + hinged
- Base and cover include welding bolts
- Mounting plate with required nuts
- High heat resistance
- The door can be opened 210 °
- External fastening lugs, easy to install

Conformity

Steel enclosures:



Technical information

Degree of protection:

IP 66, IP 67

Impact resistance:

IK 09

Material

Base/cover:

Polyester painted mild steel, stainless steel AISI304 or stainless steel AISI316L

Gasket:

Silicone

Mounting plate:

Galvanized steel

Door fastening:

screws or hinges + latch

Knockout alternatives

Polyester painted enclosures:

Plain sides

Enclosures made of stainless steel (AISI304):

Plain sides

Enclosures made of stainless steel (AISI316L):

Plain sides

Standard colour

Polyester painted enclosures:

Grey RAL7035

Product information can be found at www.casemet.fi

Casemet Cubo U wall cabinets

Casemet Cubo U -enclosures, screw-on cover, polyester painted mild steel

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
UFUP151509	Plain sides	150	150	90	61	1
UFUP152010	Plain sides	150	200	100	71	1
UFUP202010	Plain sides	200	200	100	71	1
UFUP203012	Plain sides	200	300	120	91	1
UFUP204015	Plain sides	200	400	150	121	1
UFUP303015	Plain sides	300	300	150	121	1
UFUP403015	Plain sides	400	300	150	121	1
UFUP404020	Plain sides	400	400	200	171	1
UFUP406020	Plain sides	400	600	200	171	1
UFUP508020	Plain sides	500	800	200	171	1



Casemet Cubo U -enclosures, screw-on cover, stainless steel AISI304t

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
USUP151509	Plain sides	150	150	90	61	1
USUP152010	Plain sides	150	200	100	71	1
USUP202010	Plain sides	200	200	100	71	1
USUP203012	Plain sides	200	300	120	91	1
USUP204015	Plain sides	200	400	150	121	1
USUP303015	Plain sides	300	300	150	121	1
USUP403015	Plain sides	400	300	150	121	1
USUP404020	Plain sides	400	400	200	171	1
USUP406020	Plain sides	400	600	200	171	1
USUP508020	Plain sides	500	800	200	171	1



Casemet Cubo U -enclosures, screw-on cover, stainless steel AISI316L

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
UAUP151509	Plain sides	150	150	90	61	1
UAUP152010	Plain sides	150	200	100	71	1
UAUP202010	Plain sides	200	200	100	71	1
UAUP203012	Plain sides	200	300	120	91	1
UAUP204015	Plain sides	200	400	150	121	1
UAUP303015	Plain sides	300	300	150	121	1
UAUP403015	Plain sides	400	300	150	121	1
UAUP404020	Plain sides	400	400	200	171	1
UAUP406020	Plain sides	400	600	200	171	1
UAUP508020	Plain sides	500	800	200	171	1



Casemet Cubo U -enclosure, latch cover, polyester painted mild steelt

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
UFEP203016	Plain sides	200	300	160	131	1
UFEP303016	Plain sides	300	300	160	131	1
UFEP304016	Plain sides	300	400	160	131	1
UFEP304020	Plain sides	300	400	200	171	1
UFEP404016	Plain sides	400	400	160	131	1
UFEP404020	Plain sides	400	400	200	171	1
UFEP406020	Plain sides	400	600	200	171	1
UFEP506030	Plain sides	500	600	300	271	1
UFEP608030	Plain sides	600	800	300	271	1
UFEP8010030	Plain sides	800	1000	300	271	1



Casemet Cubo U -enclosure, latch cover, stainless steel AISI304

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
USSP203016	Plain sides	200	300	160	131	1
USSP303016	Plain sides	300	300	160	131	1
USSP304016	Plain sides	300	400	160	131	1
USSP304020	Plain sides	300	400	200	171	1
USSP404016	Plain sides	400	400	160	131	1
USSP404020	Plain sides	400	400	200	171	1
USSP406020	Plain sides	400	600	200	171	1
USSP506030	Plain sides	500	600	300	271	1
USSP608030	Plain sides	600	800	300	271	1
USSP8010030	Plain sides	800	1000	300	271	1



Casemet Cubo U -enclosure, latch cover, stainless steel 316L

Product code	Description	External dimensions (mm)				Package size (pcs)
		Width	Height	Depth	Base depth	
UASP203016	Plain sides	200	300	160	131	1
UASP303016	Plain sides	300	300	160	131	1
UASP304016	Plain sides	300	400	160	131	1
UASP304020	Plain sides	300	400	200	171	1
UASP404016	Plain sides	400	400	160	131	1
UASP404020	Plain sides	400	400	200	171	1
UASP406020	Plain sides	400	600	200	171	1
UASP506020	Plain sides	500	600	300	271	1
UASP608030	Plain sides	600	800	300	271	1
UASP8010030	Plain sides	800	1000	300	271	1



Casemet Cubo V wall cabinets

" This enclosure does not fear water or dust.



Cubo V-Series enclosures are dust-tight and resistant to water and steam sprayed close by, as well as immersion.

The enclosures are available in polyester and stainless steel and have a high quality seamless silicone seal. Smooth sides in all enclosures.

The enclosures are supplied with welded fastening ears. Fastening the lid with screws outside the sealing surface. The bottom and folders have welding bolts ready.

- IP 69 tested and approved
- High heat resistance
- High vibration resistance due to welded fastening lugs

Conformity

Steel enclosures:



Technical information

Degree of protection: IP 66, IP 68, IP 69

Material

Base/cover: Polyester painted mild steel, stainless steel AISI304

Gasket: Silicone

Mounting plate: Galvanized steel

Door fastening: Screws

Knockout alternatives

Polyester painted enclosures: Plain sides

Enclosures made of stainless steel (AISI304): Plain sides

Standard colour

Polyester painted enclosures:

Grey RAL7035

Product information can be found at www.casemet.fi

Casemet Cubo V wall cabinets

Casemet Cubo V -wall cabinets, plain sides, polyester painted mild steel

Product code	Description	External dimensions (mm)			Package size (pcs)
		Width	Height	Depth	
VFEP080808A	Plain sides	140	135	80	1
VFEP101010A	Plain sides	160	155	100	1
VFEP151510A	Plain sides	210	205	100	1
VFEP151515A	Plain sides	210	205	150	1
VFEP202010A	Plain sides	260	255	100	1
VFEP202015A	Plain sides	260	255	150	1
VFEP302010A	Plain sides	360	255	100	1
VFEP302015A	Plain sides	360	255	150	1
VFEP303020A	Plain sides	360	355	200	1
VFEP304020A	Plain sides	360	455	200	1
VFEP404020A	Plain sides	460	455	200	1
VFEP404030A	Plain sides	460	455	300	1
VFEP405020A	Plain sides	460	555	200	1
VFEP405030A	Plain sides	460	555	300	1
VFEP406020A	Plain sides	460	655	200	1
VFEP406030A	Plain sides	460	655	300	1
VFEP406040A	Plain sides	460	655	400	1
VFEP506020A	Plain sides	560	655	200	1
VFEP506030A	Plain sides	560	655	300	1
VFEP506040A	Plain sides	560	655	400	1
VFEP606020A	Plain sides	660	655	200	1
VFEP606030A	Plain sides	660	655	300	1
VFEP606040A	Plain sides	660	655	400	1
VFEP806020A	Plain sides	860	655	200	1
VFEP806030A	Plain sides	860	655	300	1
VFEP806040A	Plain sides	860	655	400	1



Casemet Cubo V -wall cabinets, plain sides, stainless steel AISI304

Product code	Description	External dimensions (mm)			Package size (pcs)
		Width	Height	Depth	
VSSP080808	Plain sides	140	135	80	1
VSSP101010	Plain sides	160	155	100	1
VSSP151510	Plain sides	210	205	100	1
VSSP151515	Plain sides	210	205	150	1
VSSP202010	Plain sides	260	255	100	1
VSSP202015	Plain sides	260	255	150	1
VSSP302010	Plain sides	360	255	100	1
VSSP302015	Plain sides	360	255	150	1
VSSP303020	Plain sides	360	355	200	1
VSSP304020	Plain sides	360	455	200	1
VSSP404020	Plain sides	460	455	200	1
VSSP404030	Plain sides	460	455	300	1
VSSP405020	Plain sides	460	555	200	1
VSSP405030	Plain sides	460	555	300	1
VSSP406020	Plain sides	460	655	200	1
VSSP406030	Plain sides	460	655	300	1
VSSP406040	Plain sides	460	655	400	1
VSSP506020	Plain sides	560	655	200	1
VSSP506030	Plain sides	560	655	300	1
VSSP506040	Plain sides	560	655	400	1
VSSP606020	Plain sides	660	655	200	1
VSSP606030	Plain sides	660	655	300	1
VSSP606040	Plain sides	660	655	400	1
VSSP806020	Plain sides	860	655	200	1
VSSP806030	Plain sides	860	655	300	1
VSSP806040	Plain sides	860	655	400	1



Casemet Cubo OC outdoor cabinet

“
For demanding outdoor use.

Casemet Cubo OC is an excellent enclosure solution for protecting electrical technology and hydraulics in demanding conditions. Cubo OC has been specially developed for outdoor use, such as rail or road-side transport.

The two-door cabinet is available with ratings IP55 and IK10, in sizes 1200x1000x500 - 1800x1800x600. The one-door cabinet is available with ratings IP65 and IK10, in sizes 600x1000x400 - 1000x1800x600.

Customized solutions available as well.



Conformity

Cabinets:   

Technical information

Degree of protection: IP 65, models with two doors IP 55
Impact resistance: IK 10

Material

Base/door: Aluminum (3mm), stainless steel AISI304 (2mm), stainless steel AISI316L (2mm), galvanized steel (2mm)
Gasket: Silicone
Hinges: Stainless steel
Lock: Locking rods

Product information can be found at www.casemet.fi

Casemet Cubo OC outdoor cabinet

Casemet Cubo OC - cabinets, 1-door

Product code	External dimensions (mm)		
	Width	Height	Depth
OCAL/OCSS/OCAS/OCAZ 6010040	600	1000	400
OCAL/OCSS/OCAS/OCAZ 6012040	600	1200	400
OCAL/OCSS/OCAS/OCAZ 6014040	600	1400	400
OCAL/OCSS/OCAS/OCAZ 6016050	600	1600	500
OCAL/OCSS/OCAS/OCAZ 6018050	600	1800	500
OCAL/OCSS/OCAS/OCAZ 8010050	800	1000	500
OCAL/OCSS/OCAS/OCAZ 8012050	800	1200	500
OCAL/OCSS/OCAS/OCAZ 8014050	800	1400	500
OCAL/OCSS/OCAS/OCAZ 8016050	800	1600	500
OCAL/OCSS/OCAS/OCAZ 8018050	800	1800	500
OCAL/OCSS/OCAS/OCAZ 10010050	1000	1000	500
OCAL/OCSS/OCAS/OCAZ 10012050	1000	1200	500
OCAL/OCSS/OCAS/OCAZ 10014050	1000	1400	500
OCAL/OCSS/OCAS/OCAZ 10016060	1000	1600	600
OCAL/OCSS/OCAS/OCAZ 10018060	1000	1800	600
OCAL/OCSS/OCAS/OCAZ 12010050	1200	1000	500
OCAL/OCSS/OCAS/OCAZ 12012060	1200	1200	600
OCAL/OCSS/OCAS/OCAZ 12014060	1200	1400	600

Casemet Cubo OC - cabinets, 2-door

Product code	External dimensions (mm)		
	Width	Height	Depth
OCAL/OCSS/OCAS/OCAZ 12010050D	1200	1000	500
OCAL/OCSS/OCAS/OCAZ 12012050D	1200	1200	500
OCAL/OCSS/OCAS/OCAZ 12014050D	1200	1400	500
OCAL/OCSS/OCAS/OCAZ 12016060D	1200	1600	600
OCAL/OCSS/OCAS/OCAZ 12018060D	1200	1800	600
OCAL/OCSS/OCAS/OCAZ 14010060D	1400	1000	600
OCAL/OCSS/OCAS/OCAZ 14012060D	1400	1200	600
OCAL/OCSS/OCAS/OCAZ 14014060D	1400	1400	600
OCAL/OCSS/OCAS/OCAZ 14016060D	1400	1600	600
OCAL/OCSS/OCAS/OCAZ 14018060D	1400	1800	600
OCAL/OCSS/OCAS/OCAZ 16014060D	1600	1400	600
OCAL/OCSS/OCAS/OCAZ 16016060D	1600	1600	600
OCAL/OCSS/OCAS/OCAZ 16018060D	1600	1800	600
OCAL/OCSS/OCAS/OCAZ 18016060D	1800	1600	600
OCAL/OCSS/OCAS/OCAZ 18018060D	1800	1800	600

MATERIALS:

OCAL = material 3 mm aluminum, EN AW 5754 H22

OCAS = material 2 mm stainless steel, AISI316L

OCSS = material 2 mm stainless steel, AISI304

OCAZ = material 2 mm galvanized steel, DX51D+Z275MBC

Other accessories

- Mounting plate
- Rain shelters
- 19 inch rails
- Door stopper
- Chart pocket
- Mounting bracket for light
- Plinth
- Base
- Lock
- Swing handle
- Eyebolts

“
**Customer
 specific sizes
 and solutions
 also available.**”

General enclosure accessories

Pole mounting brackets


The pole mounting kit is designed for safe pole fastening of Casemet Cubo metal enclosures. The pole mounting kit contains mounting rails or plate, a hose fastener and required screws. The pole diameter may vary between 38 and 140 mm.

Product code	Description	Dimensions (mm)	Package size (pcs)
2-rail set			
PMK15	For a 150 mm enclosure	28 x 35 x 145	1
PMK20	For a 200 mm enclosure	28 x 35 x 195	1
PMK30	For a 300 mm enclosure	28 x 35 x 295	1
PMK40	For a 400 mm enclosure	28 x 35 x 395	1
PMK50	For a 500 mm enclosure	28 x 35 x 495	1
PMK60	For a 600 mm enclosure	28 x 35 x 595	1
Sets with a plate			
PMK1515	For a 150 mm enclosure	41 x 150 x 155	1
PMK2020	For a 200 mm enclosure	41 x 200 x 205	1



PMK2020

PMK20



PMK20



PMK50



PMK2020

Gas spring and accessories

Product code	Description	Package size (pcs)
VPTS93	Gas spring	1
VPXS3.01	Base side fixing part of the gas spring	1
VPXS3.02	Door-side fixing part of the gas spring	1



VPTS93, Gas spring



VPXS3.01, Base side fixing part of the gas spring



VPXS3.02, Door-side fixing part of the gas spring

Ventilation valves and breathers

Product code	Description	Dimensions (mm)	Package size (pcs)
BSS10S	Breather, IP 68, AISI 304, 16l/h	ø19 x 21	1
BSS10H	Breather, IP 68, AISI 304, 120l/h	ø19 x 21	1



Breather, IP 68, stainless steel, 16 l/h, BSS10S.

Other supplies

Product code	Description	Dimensions (mm)	Package size (pcs)
KY3	Triangular wrench	20 x 50 x 22	10
KY3.10	Triangular wrench, lockable, 11 mm	20 x 50 x 22	10
ST80/U	Triangular key, 11 mm	34 x 52 x 16	10
KY4	Metal latch, 18 mm closing space	ø 28 x 31	10
VPTL67	Slotted quarter-turn latch	ø 28 x 31	1
VPTL30	Triangle quarter-turn latch, 7 mm	ø 28 x 31	1



Triangular wrench, KY3



Triangular wrench, lockable, KY3.10



Triangular key, ST80/U



Metal latch, KY4



Slotted quarter-turn latch, VPTL67



Triangle quarter-turn latch, 7 mm, VPTL30

Legal notice

The information in this brochure is to the best of our knowledge and belief correct and reliable. However, we are not responsible for the use, accuracy and completeness of the information. The purchaser of the product is responsible for evaluating independently the suitability of the product for the intended application. Our responsibilities for the products are set forth in the our general terms and conditions of sale, currently NL 09, and we are under no circumstances responsible for its distributors or for any misuse, damage due to incorrect installation or damage due to ignored national safety or other provisions. We reserve the right to make changes in the specifications, materials and production methods without prior notice.

Copyright Casemet Oy 2022, Casemet ®

CASEMET Strong as steel.

Casemet Oy

Insinöörinkatu 1,
50100 Mikkeli, FINLAND

www.casemet.fi

