



CERTIFICATE FI/40793

Our Ref. HEL-CERT200800379-01



Product Cabinet
Type CUBO OC- serie
Trademark Casemet
Certificate Holder Casemet Oy
Insinöörinkatu 1
FI-50100, Mikkeli, Finland

Technical information Degree of protection (EN 60529) IP55 (two door) / IP65 (one door)
Mechanical strength (EN 62262) IK10
Material: aluminium, stainless steel, acid-proof steel, galvanized steel

Other information See pages 2-3 of this Certificate

The product is certified according to the following standard(s) EN 62208:2011

Validity This certificate is valid until 01 September 2025 provided that the Conditions for FI certification are met. This certificate includes the right to use the FI mark under the condition that changes (if any) will be checked at SGS Fimko before the product is brought onto market and that the conditions for FI certification are met.

Date of issue 01 September 2020

SGS Fimko Ltd

Signature



Sixten Lökfors
Project Manager



SGS Fimko Ltd

Takomotie 8, FI-00380 Helsinki, Finland
t. +358 9 696 361 www.sgs.fi

Business ID 0978538-5

Member of the SGS Group (SGS SA)



Manufacturer	Casemet Oy Insinöörinkatu 1 FI-50100, Mikkeli, Finland
Manufacturing site	Casemet Oy Insinöörinkatu 1 FI-50100, Mikkeli, Finland
Directive information	The certified product(s) fulfils requirements of mentioned standard(s) which are harmonised under the Low Voltage Directive (2014/35/EU) at the date of issue of the certificate.
Is based on:	This Certificate is based on SGS Fimko test report 300040-1

Page 2 of 3

This document is issued by the Company under its General Conditions of Service accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.

Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Fimko Ltd

Takomotie 8, FI-00380 Helsinki, Finland
t. +358 9 696 361 www.sgs.fi

Business ID 0978538-5

Member of the SGS Group (SGS SA)

Additional information

Series includes following standard products:

OCAL... material: aluminum
 OCSS... material: stainless steel
 OCAS... material: acid-proof steel
 OCAZ... material: galvanized steel
D two door

Type (1 -door):

Size:

OCAL / OCSS / OCAS / OCAZ 6010040	600x1000x400
OCAL / OCSS / OCAS / OCAZ 6012040	600x1200x400
OCAL / OCSS / OCAS / OCAZ 6014040	600x1400x400
OCAL / OCSS / OCAS / OCAZ 6016050	600x1600x500
OCAL / OCSS / OCAS / OCAZ 6018050	600x1800x500
OCAL / OCSS / OCAS / OCAZ 8010050	800x1000x500
OCAL / OCSS / OCAS / OCAZ 8012050	800x1200x500
OCAL / OCSS / OCAS / OCAZ 8014050	800x1400x500
OCAL / OCSS / OCAS / OCAZ 8016050	800x1600x500
OCAL / OCSS / OCAS / OCAZ 8018050	800x1800x500
OCAL / OCSS / OCAS / OCAZ 10010050	1000x1000x500
OCAL / OCSS / OCAS / OCAZ 10012050	1000x1200x500
OCAL / OCSS / OCAS / OCAZ 10014050	1000x1400x500
OCAL / OCSS / OCAS / OCAZ 10016060	1000x1600x600
OCAL / OCSS / OCAS / OCAZ 10018060	1000x1800x600
OCAL / OCSS / OCAS / OCAZ 12010050	1200x1000x500
OCAL / OCSS / OCAS / OCAZ 12012060	1200x1200x600
OCAL / OCSS / OCAS / OCAZ 12014060	1200x1400x600

Type (2 -door):

Size:

OCAL / OCSS / OCAS / OCAZ 12010050D	1200x1000x500
OCAL / OCSS / OCAS / OCAZ 12012050D	1200x1200x500
OCAL / OCSS / OCAS / OCAZ 12014050D	1200x1400x500
OCAL / OCSS / OCAS / OCAZ 12016060D	1200x1600x600
OCAL / OCSS / OCAS / OCAZ 12018060D	1200x1800x600
OCAL / OCSS / OCAS / OCAZ 14010060D	1400x1000x600
OCAL / OCSS / OCAS / OCAZ 14012060D	1400x1200x600
OCAL / OCSS / OCAS / OCAZ 14014060D	1400x1400x600
OCAL / OCSS / OCAS / OCAZ 14016060D	1400x1600x600
OCAL / OCSS / OCAS / OCAZ 14018060D	1400x1800x600
OCAL / OCSS / OCAS / OCAZ 16014060D	1600x1400x600
OCAL / OCSS / OCAS / OCAZ 16016060D	1600x1600x600
OCAL / OCSS / OCAS / OCAZ 16018060D	1600x1800x600
OCAL / OCSS / OCAS / OCAZ 18016060D	1800x1600x600
OCAL / OCSS / OCAS / OCAZ 18018060D	1800x1800x600